

Work Order ID 158416***158416***

Page 1

Wednesday, March 22, 2017 1:41:01 PM

Item ID: 647.4115

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Shim

Start Date: 3/23/2017 Start Qty: 5.00

5

Cust Item ID:

Required Date: 3/24/2017 Req'd Qty: 5.00

5

Customer:

Reference:

Approvals:

Process Plan:

DAS
21
9-89

Date:

MAR 22 2017

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

647.4100

n/c

110

0.16

110

Waterjet

FLOW CNC Waterjet

Memo

1-Cut as per Dwg

Dwg Rev: NICProg Rev: ME N-C

2-Deburr if necessary

0.05

DAS
46
9-89

17/03/23

120

QC2- Inspect parts off machine FAI/FAIB

0.00

120

QC

Quality Control

Memo

0.05

DAS
46
9-89

17/03/23

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
						QC / QA Coordinator Approval			
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 158416***158416***

Page 2

Wednesday, March 22, 2017 1:41:01 PM

Item ID: 647.4115

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shim

Start Date: 3/23/2017 Start Qty: 5.00

5

Cust Item ID:

Required Date: 3/24/2017 Req'd Qty: 5.00

5

Customer:

Reference:

Run Start ***NR1***

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop ***NR2***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.10

Quality Control

DAS
38
0.88
MAR 23 2017

140

Outsource process-Anodize per QSI017 4.1.10.1

0.00

140

Outsource4

Memo

900.00

Outsource process - Anodize

Issue P/O to ATG : 35865

1- Black Anodize as per Dwg 647.4100

2- PRIME AS PER DWG, SEE NOTE #2

Certification of Conformity is required

DAS
13
0.88
APR 06 2017

150

Receive & Inspect for Damage & Mat'l Certs

0.00

150

Packaging

Memo

0.10

Packaging

5xSP17-425

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Work Order ID 158416***158416***

Page 3

Wednesday, March 22, 2017 1:41:01 PM

Item ID: 647.4115

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shim

Start Date: 3/23/2017 Start Qty: 5.00

5

Cust Item ID:

Required Date: 3/24/2017 Req'd Qty: 5.00

5

Customer:

Reference:

Run Start ***NR1***

Approvals: Process Plan: Date:

Tooling: Date:

Stop ***NR2***

QC: Date:

SPC (Y/N): Date:

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

QC5- Inspect part completeness to step on W/O

0.00

160

QC

Quality Control

Memo
2.5 mils thickness

0.10

(5)

APR 25 2017

DAS

38

9-89

APR 25 2017

190

Identify as per dwg & Stock Location: CCK12

0.00

190

Packaging

Packaging

Memo

0.05

IDENTIFY AS PER APICAL MPP-120 BY STAMPING P# AND REV

5

DAS
6
9-89

APR 25 2017

200

QC21- Final Inspection - Work Order Release

0.00

200

QC

Quality Control

Memo

0.50

DAS
21
9-89

17/4/27

APR 26 2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By 		
							Lead hand / Supervisor Approval Verification 		
QC / QA Coordinator Approval 									

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

Picklist Print

Wednesday, March 22, 2017 1:41:06 PM

Page 1

Work Order ID: 158416

158416

Parent Item: 647.4115

647 4115

Parent Item Name: Shim

Start Date: 3/23/2017

Required Date: 3/24/2017

Start Qty: 5.00

Required Qty: 5.00

Comments: IPP REV:A 12.10.26 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M2024T3S.090		Purchased	No			110	sf	48.2000	0.022	0.11579	DAS 46 9-89		
									**				
M2024T3S 090													
2024-T3 .090 sheet													

17/03/23

Location

Loc Qty

Loc Code

MAT021

48.2

123287

14.3

m130387

33.9

0.13

~~0.13~~

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

APICAL

INDUSTRIES, INC.

ENGINEERING CHANGE NOTICE NL 04510

SHEET 1 OF 1

DWG NO. 647.4100

REV: N/C

PREPARED BY:

J. BECKER

DATE: 04/24/14

EFFECT ON DWG
☐ INC. ☒ UNINC.

DWG TITLE: SHEETMETAL

APPROVED BY:

ENGR

MFG


QC

EFF:

NEXT ORDER

TRANSACTION CODES (TC):
A-ADD C-CREATE
R-REVISE D-DELETE

REASON: MODIFIED DOUBLER.



SHEET 1, ZONE C2 IS:

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 158416 M.S
170322

DOCUMENTS EFFECTED:

☐ MDL ☐ INSTALL INSTRUC ☐ ICA ☐ BOM

CHANGE CATEGORY
☐ MAJOR ☒ MINOR

DER REVIEW REQUIRED
☐ YES ☒ NO

APICAL INDUSTRIES, INC.	ENGINEERING CHANGE NOTICE NO. 02866				SHEET 1 OF 1	
	DWG NO. 647.4100	REV: N/C	PREPARED BY R. ROSANO	DATE: 05/05/10	EFFECT ON DWG ☐ INC. ☒ UNINC.	
	DWG TITLE: SHEET METAL					
	APPROVED BY: ENGR <i>[Signature]</i>	MFG <i>[Signature]</i>	QC <i>[Signature]</i>	EFF: CURRENT ORDER		
TRANSACTION CODES (TC): A-ADD C-CREATE R-REVISE D-DELETE	REASON: CHANGED PRETREATMENT CALLOUT					

SHEET 1, ZONE A1 IS:

NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: ALUMINUM 2024-T3 PER AMS-QQ-A-250/4
2. FINISH: HARD ANODIZE (AW MIL-A-8625 TYPE II, CLASS 2, COLOR BLACK);
PRETREAT PR-148 ADHESION PROMOTER
PRIME (AW MIL-P-23377) TYPE I CLASS N
3. DEBURR AND BREAK ALL SHARP EDGES
4. IDENTIFY (AW MPP-120)




IS

F/N	TC	PART NUMBER	QTY	DESCRIPTION	MATERIAL	SPECIFICATION
DOCUMENTS EFFECTED:				☐ MDL ☐ INSTALL INSTRUC ☐ ICA ☐ BOM	CHANGE CATEGORY ☐ MAJOR ☒ MINOR	DER REVIEW REQUIRED ☐ YES ☒ NO

ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED ARE IN INCHES AND DECIMALS THEREOF. DIMENSIONS ARE GIVEN TO THE CENTERLINE UNLESS OTHERWISE SPECIFIED. DIMENSIONS ARE TO BE TAKEN FROM THE CENTERLINE UNLESS OTHERWISE SPECIFIED.

NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: ALUMINUM 2024-T3 PER AMS-QQ-A-250/4
2. FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE II, CLASS 2. COLOR BLACK; CARDINAL 4860-50 PRETREATMENT PRIMER PRIME IAW MIL-P-23377 J TYPE I CLASS N
3. DEBURR AND BREAK ALL SHARP EDGES
4. IDENTIFY IAW MPP-120




647.4110

UNINCORPORATED ECN(s)


02866, 04510,

QTY	FINO #	PART #	DESCRIPTION	MATL	SPEC.
		647.4116	SHIM	△	△
		647.4115	SHIM	△	△
		647.4114	SHIM	△	△
		647.4113	CLIP	△	△
		647.4112	CLIP	△	△
		647.4111	DOUBLER	△	△
		647.4110	DOUBLER	△	△
PARTS LIST					
NEXT ASSY (S)			APICAL INDUSTRIES		
1" X 1"			2608 TEMPLE HEIGHTS DR.		
			OCEANSIDE, CA. 92056-3512 (760) 724-0300		
			SHEETMETAL		
			647.4100		
			SCALE: NONE		
			SHEET 1 OF 6		

.040
TYP.





647.4111



[illegible]

THE INFORMATION CONTAINED ON THIS DRAWING IS THE SOLE PROPERTY OF APICAL INDUSTRIES, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES, INC.

REV	DESCRIPTION	DATE
1	ISSUED FOR FABRICATION	01/15/2010
2	REVISION	
3	REVISION	
4	REVISION	
5	REVISION	
6	REVISION	
7	REVISION	
8	REVISION	



FLAT PATTERN




647.4113 SHOWN
647.4112 OPPOSITE

APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3510 (760) 724-5300	
SHEETMETAL	
SHEETMETAL PART NAME: 647.4100 QTY: 1 SCALE: NONE	SHEETMETAL PART NAME: 647.4100 QTY: 1 SCALE: NONE

THE APICAL INDUSTRIES ENGINEERING DEPARTMENT HAS REVIEWED THE SHEET FOR CONFORMANCE WITH THE APICAL INDUSTRIES ENGINEERING DEPARTMENT STANDARDS AND HAS APPROVED THE SHEET FOR CONFORMANCE WITH THE APICAL INDUSTRIES ENGINEERING DEPARTMENT STANDARDS.


DATE	REVISION	BY	APPROVED

.063




4.80

.984





647.4114

CONSTRUCTION MATERIAL FINISH TOLERANCE DIMENSIONS WEIGHT PART NO.	APICAL INDUSTRIES 2408 TEMPLE HEIGHTS DR. OCEANSIDE, CA. 92056-3512 (760) 724-5300
ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED	SHEETMETAL PART NO. 647.4100 QTY. 1 SCALE: NONE SHEET 4 OF 4



APICAL INDUSTRIES 2608 TEMPLE HEIGHTS DR. OCEANSIDE, CA 92056-3512 (760) 724-5540	
SHEETMETAL	
SHEETMETAL PART NO. 647.4115 QUANTITY 1000 DATE 10/10/00 DRAWN BY J. J. J.	647.4100 SCALE NONE

APICAL INDUSTRIES		SHEETMETAL	
2605 TEMPLE HEIGHTS DR. OCEANVIEW, CA 92056-3512 (760) 724-5300		DATE: 02/12/00	
PROJECT: 647.4100		DRAWN BY: J. J. J.	



1	2	3	4	5	6	7	8

REPRODUCTION OF THIS DRAWING FOR ANY PURPOSES WITHOUT THE WRITTEN PERMISSION OF APICAL INDUSTRIES IS PROHIBITED.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO35865**

Purchase Order Date 4/6/2017
PO Print Date 4/20/2017

Page Number 3 of 6

Order From :

A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE ROAD
ROCKLAND, ON K4K 1T2
CANADA

VC-ATG001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone

613-446-4544

Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

VENDOR'S TRUCK

Buyer
Customer POID
Customer Tax #
Terms
Currency
FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

7 157798

650.9201 EYELET REV. A

4/24/2017

Yes

4/24/2017

10.00

\$6.60

\$66.00

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$66.

8 158414

647.4114 SHIM REV. N/C

4/24/2017

Yes

4/24/2017

5.00

\$6.25

\$31

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$3

9 158416

647.4115 SHIM REV. N/C

4/24/2017

Yes

4/24/2017

5.00

\$6.25

\$3

FINISH: HARD BLACK ANODIZE AS PER IAW MIL-A-8625 TYPE III, CLASS 2 / PRIME AS PER IAW MIL-PRF-23377 TYPE I CLASS N

Line Total:

\$

PO Instructions: PRIMER IS SUPPLIED BY DART

Note:

4/20/2017

SP174-25



A.T.G. INDUSTRIES INC.
731 INDUSTRIELLE STREET
ROCKLAND, ON K4K 1T2
Canada

Ph: (613) 446-4544

Fax: (613) 446-4556

Pack List

Number: 913226

Date: 24-Apr-17

To

Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ship To

Chantal Lavoie
Dart Aerospace Ltd
1270 Aberdeen St
Hawkesbury, ON K6A 1K7

Ph: 613 632-9577

Fax: 613 632-1053

Ph: 613 632-9577

Fax: 613 632-1053


Terms	Ship Via
	OUR TRUCK

Quantity	Description
----------	-------------

5 Part: 647.4114 Rev: N/C
ea Shim
Hard Black Anodize per MIL-A-8625F, Type III, Class 2
Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied)
Job: 20917 PO: PO35865 Line: 8

5 Part: 647.4115 Rev: N/C
ea Shim
Hard Black Anodize per MIL-A-8625F, Type III, Class 2
Prime per MIL-PRF-23377, Type I, Class N (Customer Supplied)
Job: 20918 PO: PO35865 Line: 9

DATE: 24/04/2017

CERTIFIED SIGNATURE: 

RECEIVER SIGNATURE: _____

Note: This Packing Slip may contain parts that have been PLATED. Items that are plated may be subject to natural tarnishing and it is suggested that they be inspected within 24 hours of receipt.

CERTIFICATE OF CONFORMANCE

A.T.G. INDUSTRIES INC. CERTIFIES THAT ALL ITEMS IN THIS SHIPMENT CONFORM TO REQUIREMENTS.

MADE IN CANADA.